

آئل اینڈ گیس
ریگولیشن اتھارٹی
حکومت پاکستان



Oil & Gas
Regulatory Authority
Government of Pakistan

NOTICE OF PUBLIC HEARING

APPLICATION FOR GRANT OF LICENCE BY OIL AND GAS DEVELOPMENT COMPANY LIMITED (OGDCL) FOR SALE OF FLARE GAS/NATURAL GAS (SINHORO GAS FIELD)

M/s Oil and Gas Development Company Limited (OGDCL) (the applicant) has applied under OGRA's Natural Gas (Licencing) Rules, 2002 for grant of license for Sale of Flare Gas/Natural Gas. OGDCL is lease holder of Sinjhorro Gas Field: District, Sanghar, Sindh. The seller is producing certain quantities of Gas from the Sinjhorro Field under the Federal Government's Utilization of Flare Gas (FG) Guidelines, 2016. The lease holder is selling the gas to third party and they have entered into an agreement with M/s High-tech for self-consumption and in terms of the Lease, the Seller has the right to produce and sell the petroleum therefrom. the applicant has to provide the Gas to M/s High-tech. After completion of the requisite data / information by the applicant, the Authority admitted the instant application and published Public Notice in the leading national press on 15 & 16-01-2021 seeking comments/intervention from interested/affected persons/parties and General Public within 14 days from the publication of the said public notice who are likely to be affected by the grant of this license.

In sequel to all above, OGRA has now decided to hold a Public Hearing in the above case according to date, time and venue mentioned below:-

Date : **February 24, 2021 (Wednesday)**
Time : **11:00 a.m.**
Venue : **OGRA Office, Islamabad**

For any information required from the applicant please contact:

Shahid Salim Khan,

Chief Executive, Oil and Gas Development Company Limited,
OGDCL House, Plot No. 3, Jinnah Avenue, Blue Area, Islamabad
Telephone: 051-920023638, Fax: 051-2623068, www.ogdcl.com

REGISTRAR

Oil and Gas Regulatory Authority

54-B, Fazal-e-Haq Road, Blue Area, Islamabad
Phone: 051-9244296, 051-9244090-98 (Ext-157)
Fax: 051-9244042, www.ogra.org.pk

17cm x 3 col